Black background for pathological specimens 28
Blonde patient without skin blemishes best for operative motion pictures 62
Blue print copying. Process Panchromatic plate with red A or F filter 13
Borshal, Alfred. Maker of oral lamp 73
Brown differentiated from green 13
Brownian movement. Henry 50, 52
Bunoan, Pedro. Light box for photographing gross specimens 92
Business films usually excellent 68
Butler camera for still color photography 191

C

Caesarean sections, 15, to make one (moving) picture 62
Camera Box for the Photography of Gross Pathological Specimens, A New—Francis A. Opps 151
Camera must see the subject under the same conditions as it is studied in the laboratory 166
Carbo process 196
Cat, why it falls on its feet 47
Centering the condenser 21
Chemical reduction, how to hold back with rubber cement 29
Chlorophyll reflects infra-red light and photographs white 15
Chromatic difference of magnification 143
Chromatic difference of magnification-diagram 145
Ciné-Kodak Special—16 mm. Broad scope 32
Ciné-Kodak tripod 38
"Cinematographic case report" 67
Cin-ex camera. Dr. Hans Jarre 99
Cleanliness is the criterion of successful photography 182
Clinical work with miniature camera. Films to use 164
Cloth backing for photo records 219
Collings, Dr. Clyde W. Transurethral Electrosurgery for the Relief of Prostatic Obstruction 69
Color contrast photography concerned with modification of visual brightness values 3
Color method using separate screens, many advantages to 179
Color prints on paper. Three color carbon process 195
Color process work 213
Comandon, J. Interested Pathé who furnished funds and equipment for scientific micro-cinema 52
Commercial Art and Retouching for Advertising 106
Comparative cost in micro-cinema work 136
Comparison Table of Emulsion Speeds—Burleigh Brooks 220
Compensating amplifiers in place of ocular 131
Compensating and hyperplane oculars 147, 148, 149
Complementary colors added together result in white 4

Complementary colors and residuals. Charts 5
Complementary colors. The light absorbed by an object is complementary to that reflected (or transmitted) by it 4
Constitution and By-laws of Biological Photographic Association 224
Constitution and By-laws of New York Chapter of Biological Photographic Association 229
Contact lantern slides. Dust a nuisance 214
Contrast, Tone, and color contrast 11
Contrast, To obtain, use panchromatic material and filter or sensitive material which is insensitive to colors wanted dark in positive 13
Coöperation secured by proper instruments for holding mouth open 72
Cooper-Hewitt tube to replace daylight 167
Copylite 89
Correct color rendering sometimes undesirable 11
Correct combinations of light, filter, and sensitive material 10
Correlation of Microscope Objectives and Eyepieces—L. V. Foster 140
Crippled children. Photographs required by state law of Kansas 95
Critical illumination. An image of the light source is formed in the plane of the object 16
Critical illumination. Point-O-Light (direct current) 17
Critical illumination. Ribbon filament lamp 17
Crying of newborn baby 67
Curvature of field depends on N. A., focal length, and spherical correction 143
Cysto-urethroscope 69

D

DeLee, Joseph B. 60
Deletions in manuscripts made visible by infra-red photography 125
Depression, Department of medical photography first to be affected by 93
Depth of focus and sharpness more important than speed 92
Depth of focus in stereo work 23
Diaphragm, proper place in low magnifications 22
Difficulties to be overcome in Roentgen cinematography 98
Diffusion of light in new light box 151
Dilution of image caused by bubbles in immersion oil 182
Direct light unsatisfactory in oral cavity photography 26
Disadvantages of submersion of specimens 151
Disadvantages with Point-O-Light and ribbon filament lamps 18
Double transfer process 196
Dry Scraper Unit by Bell and Howell 221
Dry tray method of photographing pathological specimens 28
Dubray, J. A., and R. F. Mitchell, 1931. A parallel of technical values between 35 and 16 mm films. Cinematographic Annual, v. 2, pp. 329–349 139

E

Eastman Clinical camera 78–79
Economy in miniature camera use 161

Edison (1894) equalized projection interval by perforating and guiding film....47–48
Education, Entrance of cinema into, 1898.... 48
Education, Entrance of cinema into, in America. Dr. Walter Chase, 1906..... 48
Engraving perhaps the oldest art.... 208
Erythrosine added to emulsion makes plate sensitive to yellow-green light. (Orthochromatism).... 119
Experience in commercial photography valuable to biological photographer..... 177
Extreme Red Sensitive plates and Panchromatic K films used Kryptocyanine.. 120
Eyemo, B & H. 35 mm.... 32
Eye not equally sensitive to all colors.... 6
Eyepieces, Table of, for various objectives.... 150

F

Farmer's reducer for chemical reduction with rubber cement.... 29
Fay tried to use photography to fix movement of a star in 1849.... 39
Featherweight slides.... 218
Field stop alternates with aperture stop.... 21
Filing system for plates and prints.... 95
Film. Choice for various problems.... 61
Film. Flexible film made available by Eastman 1889.... 45
Film. Processed to make flexible and insure longer life.... 29
Filter factor depends on nature of plate and light source.... 10
Filter #25 with Type 1-R plate. Also 15, 29, 70, 89, 89A, and 87.... 129
Filters to reduce intensity of light.... 133
Financial question for service to outside doctors.... 95
Finlay color dots transparent; starch granule plates translucent.... 181
Finlay color method excells in latitude and possibility of increasing contrast..... 180
Finlay color method permits projection with standard equipment.... 79
Finlay color, The positive.... 184
Finlay process. Developing, etc.... 183
Finlay process. Timing of negative exposure.... 183
Flexibility of new Ciné-Kodak.... 35
Focussing bulb replaced rapidly by flash bulb in oral photography.... 73
Focussing with reducing camera.... 215
Framework for lamps, camera, and view-finder for miniature camera.....160–161
Front lens element, most influence in determining magnification.... 143

G

Gaumont camera for motion pictures in color.... 191
Glare, Objection to.... 20
Glass dish with cover to hold embryo.... 90
Glycerine and water in barrel to restore flexibility to old film.... 28
Gun, Photographic.... 43
Guttenberg, John.... 208

H

Halftone process, photo engraving described 211
Hand cranking a practical substitute for motor drive 131
Hanson, Helen, Dept. of Photography, St. Francis Hospital, Witchita, Kansas .. 92
Hay, Dr. Alfred, edited by. Photographisches Praktikum fur Mediziner und Naturwissenschaftler (Abs.). Most complete work on photography 173
Hazy atmospheres penetrated by infra-red photography 121
Head mirror in photography of oral cavity 25
Heald, C. B. Permeability of the body to infra-red rays 172
Hellwig, Dr. C. A. 94
Heuser, Dr. C. H., and Dr. G. L. Streeter. Contributions to Embryology, Vol. XX, Nos. 109 and 117 89
Hightower, G. I. Apparatus for macrophotography 86
Historic Notes on Photo-engraving 209
Hollywood, Bit of, in the operating room 61
Homan, Joseph B. Apparatus for gross photography 87
Home made apparatus for stereophotomicrography (low power) 22
Hospital use of Leica 158
Hot bodies, means of taking infra-red photography 123
Humidors to restore flexibility to film 29
Huygenian eyepiece 146
Hyperplane and compensating oculars 147, 148, 149

I

Ideal method of color reproduction, the three plate separation process 179
Illuminating System for Photomicrography by Transmitted Light—H. W. Zieler 16
Illuminating with single lamp moving in elliptical circle 92
Illumination for micro-cinema dark field in absence of direct current 133
Illumination in stereophotomicrography 23
Illumination system for photomicrography at high magnification 19
Illumination system for photomicrography at low magnification 20–21
Immersion of preparations for photography 95
Immersion useful with small specimens and for stereoscopy 92
Improvements in apparatus. 1909 50
Incubator, improvised after Dr. Sabin 133
Inexpensive Motion Photomicrography—H. M. Kingerly 130
Infra-red photography. Indoors, outdoors, filters, etc 122
Infra-red photography. Use to biologists 15
Infra-red Photography—Walter Clark 119
Infra-red portraits, chlorophyll, shadowgraphs, etc 15
Infra-red preferred developer—D-19, X-ray 129
Infra-red registers chemical changes; panchromatic registers color changes 125
Infra-red uses in clinical work 128
Injury to patient must be avoided 62

Investigations in infra-red 119
Invitation to a meeting to form Chicago chapter 171

J

Janssen photographed the passage of Venus over the sun. 1874 39
Janssen suggested method to analyze the motion of animals. 1878 39
Jores fluid #1 to prevent oozing of blood 151

K

Kodacolor 35
Kodacolor motion pictures 194
Koehler illumination 18
Kryptocyanine, discovered at Bureau of Chemistry in 1919, made possible infra-red plates 120

L

Lamp for photographing oral cavity 73
Lantern slides 215
Lantern slides made in reducing camera have many advantages 214
Lateral illumination of clinical subjects 98
Leica camera supplied with devices for universal photography, as well as projection facilities 166
Light of high intrinsic intensity needed in photomicrography; high candle power is of no significance 17
Light tan gowns instead of white to avoid halation and flatness 65
Line engraving, photo-engraving, zinc etching described 210
Long distance photography uses infra-red 121
Long distance photography with infra-red sensitive plates and deep red filter ... 122
Long focus lens recommended for gross inert preparations 92
Loss of sharp detail unavoidable in screen color plates 181
Low power photomicrography. Difficulties in lighting 21
Lumière (1895) invented claw movement for projecting motion pictures 48

M

Macrophotography, Outfit for, at University of Maryland School of Medicine ... 85
Macroscopic dark field effect 167
Mahogany, oak, etc., How to photograph 12
Making of Motion Picture Titles, The—J. I. Crabtree and C. E. Ives 100
Manuscripts deciphered by means of infra-red plates 125
Marey, Étienne Jules, College of France, Institute de Marey 41–43
Marey in 1882 first made pictures with equal intervals of time by use of revolving shutter 40
Marey's first motion picture projector used in 1893 47
Markings and stains mostly avoidable by three simple rules 206

Maximum contrast obtained when subject is photographed in the absorption band 12
Medical films, First, by Dr. Doyen in Paris in 1898 48
Mees, Dr. C. E. K 5
Mercury vapor lamp not suitable for clinical photography 170
Merits and demerits of 35 mm and 16 mm films 60
Merits of 16 mm and 35 mm films discussed 137
Micro-cinematographic apparatus. J. Biol. P. Asso., Vol. I, pp. 4–18 130
Micro-cinematography. Bibliography 53–55
Micro-Ibso attachment for miniature photomicrography 161
Microscope eyepieces, three kinds available for optical use, and micrometer eyepieces 145
Microscope objectives, focal length and magnifying power 141, 142
Microscope, The—Simon Henry Gage. Reviewed by C. B. Neblette 233
Miniature camera, Amazing results produced by 157
Miniature Camera in Scientific Photography, The—Karl A. Barleben, Jr 157
Miniature photomicrography films to use 163
Mirror, Use of, in recording animal motion 44
Modern Darkroom Practice—J. I. Crabtree and G. E. Matthews 197
Motion of animals analyzed by Janssen, 1878 39
Motion picture instruction should be endowed 68
Motion Pictures of Electro-surgery for the Relief of Prostatic Obstruction—Heinz Rosenberger 69
Movable light source used on wet preparations 87
Muybridge photographed movements of horse and other animals, 1878. Method used 39
Muybridge used battery of cameras 40

N

Neblette, C. B. 106, 173, 233
Negroes tend to photograph light with infra-red 127
Neocyanine, Kodak laboratories, 1925. Advance in registering infra-red 120

O

Oculars, negative and positive 141
Oculars, their markings, etc 140
1/1000 second exposure with heliostat 46
Onimus and Martin recorded heart beat on collodion plate, 1865 39
Operating on plastilina model 71
Orthochromatic and Color Contrast Photography—Walter Clark 3
Orthochromatic and panchromatic emulsions 6–7
Orthochromatic filter, its purpose 8
Orthochromatic filters have gradually increasing absorption 11
Orthochromatic photography. Its function 3
Orthochromatic plates produced by adding erythrosine to ordinary emulsions producing sensitivity to yellow-green 119

Over correction in use of filters to be avoided, unless deliberately used..... 10
Over correction, its use..... 11

P

Panchromatic and orthochromatic emulsions.....6, 7, 8
Panchromatic material sensitive to entire visible spectrum..... 119
Panchromatic material, Three classes of..... 7, 8
Panchromatic registers color changes; infra-red registers chemical changes..... 125
Pay patients should bear cost of photographs made in hospital..... 96
Payne, Wm. F. Method of macrophotography..... 87
Pendulum to aid in proper hand cranking..... 134
Phonoscope. Records of lip reading..... 46
Photochronography and Biotachygraphy to Cinephotomicrography—Oscar W. Richards..... 39
Photo-engraving—Oscar F. Kwett..... 207
Photographed and scored at the same time..... 64
Photographic Department of the Non-teaching General Hospital. Organization and Character of Work—Helen Hanson..... 93
Photographic department should be independent of doctor, or group of doctors, and financed by hospital as a whole..... 94
Photographic emulsions not equally sensitive to all colors..... 6
Photographic History..... 39
Photographic plate probably best means of studying infra-red rays..... 119
Photographic records improve scientific spirit and reputation of an institution.. 96
Photographic Technic, New Processes and Equipment—F. R. Harding 25, 98, 169, 214
Photographic Technic, New Processes and Equipment. Lights, lighting, and background..... 169
Photographing the Oral Cavity—William F. Payne..... 72
Photography by Invisible Light—Infra-Red Photography—W. Clark. Ref..... 15
Photography of the oral cavity..... 25
Photomicrocinematography.....139–140
Photomicrography. A two color plate is satisfactory..... 195
Photomicrography in Color by Finlay Process—Jean Kieffer..... 178
Photomicrography in infra-red good for dense or deeply stained specimens..... 126
Photomicrography. Requirements for satisfactory illumination..... 16
Pierce, Dr. H. F. Stereoscopic pictures of gross specimens..... 87
Pigments and dyes rendered on infra-red plates..... 125
Pivot, The object must be the, in stereo-microphotography..... 25
Plan to organize local chapters..... 104
Point-O-Light. Ribbon filament lamp for critical illumination..... 17
Portraits with infra-red. Characteristics..... 15
Positive film unsuitable for copying X-rays with Leica..... 165
Positives from X-rays by projection..... 219
Preservation and Restoration of Motion Picture Films..... 28
Principles of Three Color Photography—M. W. Seymour..... 188

Printed titles photographed on reversed positive film 100
Printing. Intaglio plate; relief plate 209
Professional sectionalism, jealousy prevents wider use of films in teaching 68
Program of 3rd annual convention of the Biological Photographic Association .. 1
Projection of 16 mm films 138
Proper Lighting of Pathologic Specimens, The—Carl D. Clarke 57
Proper projection time for titles 100
Pure white not present in halftone plates 212
Purpose of photography 3

R

Ramsden eyepiece. Kellner modified Ramsden eyepiece 149–150
Reather, Chester F., Dept. of Embryology, Carnegie Institute 83
References 55–56
References. Importance of their use and how to find them 117
References, Numerous, on photomicrocinematography 139–140
Reflected light best in photographing oral cavity 27
Reflections must be avoided when placing specimens on clear glass 78
Relation of Laboratory Examination to the Photography of Biological Material—
Louis Schmidt 166
Requirements for satisfactory illumination in photomicrography 16
Resolving power in relation to lighting systems 18
Rexograph Auto-Focal Commercial camera 79
Rexograph Senior camera 79–80
Rotation of subject 2½ to 3 degrees in stereomicrophotography 23
Rubber cement, a substitute for paste, mucilage, and glue 30

S

Sabin, Dr. Incubator described 133
Saline solution to prevent oozing of blood when fresh specimens are submerged .. 28
Sample Sheet from Script of Forceps Talkie 63
Scale model and instruments five times enlarged 71
Schmidt, Louis, and Joseph B. Haulenbeek. Apparatus for Gross Specimens and
Screens for Eliminating Glare 87
School of Biological Photography 178
Scope of photographic dept. of hospital should be 95
Screen plate methods of color photography 193
Semi-professional films 220
Sensitiveness of emulsions increased by use of dyes 6
Sensitized paper negatives 44
Shadowgraphs with infra-red 15
Sharp-cut filters G and A. Their use 11
Shooting the slate 64
Silverman opaque illuminator 23
Single picture attachment 134

Slides too heavy may often be saved by chemical reduction 216
Sliding focusing copy attachment 163
Slow motion crank 134
Small cysts, etc. Lateral illumination 99
Sound motion pictures in obstetrics and clinical medicine. Equipment 60
Sound Motion Pictures in Obstetrics—Joseph B. DeLee, M.D. 60
Spectroscopic plate (Eastman), type 1-F[1], to differentiate brown from green 13
Speed selection with micro-cinema 135
Stained negatives. How to copy and eliminate stained areas 13
Standardized lighting an aid in interpretation of photograph 57
Stereophotomicrography—E. J. Roy 22
Stereoscopic photographic apparatus 87
Stop motion photography by Pizon, 1904 48
"Streak" disease in potatoes. Infra-red photography used to study 125
Subtractive process adapted to making prints on paper as well as lantern slides and motion picture films 191
Sun appears red through mist or fog 122
Sunlight by heliostat in photochronography of flight of insect 46
Surgical cinematography must be preceded by careful preparation and rehearsal. 61
Synchronizing the voice to silent film 66
Synchronous motors by Bell and Howell 221

T

Tilt-stage microscope for opaque medium cultures 169
Tissue cultured in vitro, Micro-cinematograph of, by Braus, 1911 52
Title making and editing your Ciné-Kodak films 100
Title stands for motion picture titles 100
Total darkness, Photograph taken in 123
Trained surgical cinematographer, Advantage of using 61
Transactions at 3rd annual convention of Biological Photographic Association at Rochester, N. Y. 101
Transillumination using infra-red 29
Traveling exhibits 105
Tricarbocyanines most recent aids in further recording infra-red registration 120
Tri-chlorethylene in preserving and restoring film 29
Tricolor Sensation Curves 189
Tungsten lamps with panchromatic material 8
Typewritten copy poor for lantern slides 217

U

University of Maryland School of Medicine outfit for macrophotography 85
Upper left hand corner lighting 57
Uterus, tubes, ovarian ligaments 59

V

Value of motion pictures in medicine to students, doctors, and nurses..... 67
Vertical camera, its advantages..... 78
Vertical position of microscope by Ries, 1909, modified on Marey apparatus.... 50

W

Wastefulness in constructing apparatus and in preparing papers without consulting references..... 117
Water cell for cooling oral lamp..... 74
Water vapor transparent to long wave-lengths of light..... 121
Waters, L. A. Landscape in infra-red photography. The Camera, November 1933..... 712
Weiss, 1896, seems first to have used electric light concentrated in place of sunlight. 47
White background for pathological specimens..... 27
White gummed letters used in motion picture titles..... 100
White light. What it consists of..... 3
Wide field eyepieces..... 150
Wire or thread used behind test tubes to emphasize turbidity..... 167
Wratten G or Minus Blue (No. 12) filter..... 10
Wratten K 2 filter..... 8
Wratten M plates..... 95
Wratten X 1 and 2 filters more suitable with panchromatic material. Transmission curves..... 9

X

X-ray tube stand good for holding camera.....
X-rays copied and reduced by miniature camera.....164–1..
X virus in tobacco. Panchromatic plates found superior to infra-red..... 125

Y

Yellow-green sensitivity produced by adding erythrocine to emulsion (orthochromatism)..... 119
Yellow is white minus blue..... 4
Yellow stain on print. How to eliminate by copying..... 12

Z

Zoöpraxiscope and primitive motion pictures..... 40